



8 7 6 5 4 3 2 1




D5083-1F SKI ADAPTER CLAMP
(FLAT PATTERN)



D5083-1 SKI ADAPTER CLAMP

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, 14 GAUGE (0.078 THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S14GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5083-1" AND B/N PER DART QSI 044 METHOD 6.1
- 7) WEIGHT: 0.32 lbs




APPROVED


A	NEW ISSUE	AJS	14.04.08
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	JLM	D5083	SHEET 1 OF 3
APPROVED	MP	TITLE	SKI ADAPTER CLAMP
DE APPR.	DS	SCALE	NTS
DATE	14.04.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2014-04-15
MP


8 7 6 5 4 3 2 1



D5083-3F SKI ADAPTER CLAMP
(FLAT PATTERN)



D5083-3 SKI ADAPTER CLAMP



RELEASED
R 2014-04-15
[Handwritten signature]


NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, 14 GAUGE (0.078 THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S14GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5083-3" AND B/N PER DART QSI 044 METHOD 6.1
- 7) WEIGHT: 0.26 lbs


APPROVED

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	AJS	
CHECKED	AP	DRAWING NO.
MFG. APPR.	JLM	D5083
APPROVED	MP	REV. A
DE APPR.	DS	SHEET 2 OF 3
DATE	14.04.08	SCALE
		NTS
		SKI ADAPTER CLAMP
		COPYRIGHT © 2014 BY DART AEROSPACE LTD
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


8 7 6 5 4 3 2 1



D5083-5F SKI ADAPTER CLAMP, FWD
(FLAT PATTERN)



D5083-5 SKI ADAPTER CLAMP, FWD



RELEASED
2014-04-15

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, 14 GAUGE (0.078 THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S14GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D5083-5" AND B/N PER DART QSI 044 METHOD 6.1
- 7) WEIGHT: 0.24 lbs

APPROVED

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	AJS	
CHECKED	AP	DRAWING NO.
MFG. APPR.	JLM	D5083
APPROVED	MP	REV. A
DE APPR.	DS	SHEET 3 OF 3
		TITLE
		SKI ADAPTER CLAMP
		NTS
DATE	14.04.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.